

Cumulative Index 1990

Volume 34

<i>January</i>	CONTROVERSIES IN DENTISTRY , pages 1-183
<i>April</i>	MAXILLOFACIAL PROSTHODONTICS , pages 185-401
<i>July</i>	TOOTH HYPERSENSITIVITY , pages 403-587
<i>October</i>	REMOVABLE PARTIAL OVERDENTURES , pages 589-780

Note: Page numbers of article and issue titles are in **boldface** type.

- A-fibers, and dentinal pain, 450
 - function of, 440-442
 - intradental, effect of serotonin on, 444
 - myelinated, and dentin sensitivity, 442
- Abrasion, removable partial overdenture for, 752-753
- Abrasiveness, of dentifrices, for tooth hypersensitivity treatment, 546
- Abscessed teeth, removal of, preceding chemotherapy, 247
- Abutments, for removable partial overdenture, anterior, 616
 - canine, 614, 618
 - design, preparation, and maintenance of, **631-644**
 - endodontically treated, 620
 - premolar, 618
- Acetaminophen, for cancer pain, 255
- Acids, and dentin hypersensitivity, 508
- Acidulated sodium fluoride, for tooth hypersensitivity, 571
- Acrylic polymers, for maxillofacial prostheses, 310-311
- Adaptic, for tooth hypersensitivity, 575
- Adhesives, for maxillofacial prostheses, 318-319
- AgNO₃, for tooth hypersensitivity, 568
- Air blast, dentinal pain stimulation by, 457-458
 - in clinical studies of tooth hypersensitivity, 537-538
 - in tooth hypersensitivity measurement, 519-520
- Allergic reactions, with antibiotic administration, 85
- Alpha particles, definition of, 225
- Alternative practice, definition of, 150-151
- Aluminum lactate, effect on dentinal permeability, 483
- Alveolar bone, adaptive mechanisms in, 111
 - maintenance of, with overdentures, 593-597
- Alveolar cancer, 193-195, 217-220
 - radiation therapy of, 218-220
- Alveolar ridge, preservation of, removable partial overdentures for, 653
- Amelogenesis imperfecta, removable partial overdenture for, 744, 748-749
- American classification, of removable partial overdentures, **627-629**
- Amytriptyline, for cancer pain, 260-261
- Analgesics, for head and neck cancer pain, 253-262
- Analytic Technology Pulp Tester, for electrical tooth stimulation, 523, 525
- Analytical model set-ups, in surgical-orthodontic treatment planning, 375
- Anesthetics, effect on tooth sensitivity, 420
- Anterior appliances, in occlusal therapy, 118-119
- Anterior hyperfunction syndrome, 594, 596, 597
- Anterior teeth, preservation of, for overdenture abutments, 655
- Antibiotics, for plaque control, 4-7
 - prophylaxis with, alternatives to, 85-86

Antibiotics (*Continued*)

- for dental procedures, 79-90
- risks and difficulties of, 84-85
- Anticonvulsants, for cancer pain, 262
- Antimicrobial agents, topical, for plaque control, 6-7
- Aphthous ulcers, controversies in, 159-161
- Apical leakage, 20-21
 - smear layer and, 18
- Apically positioned flap, in removable partial overdenture treatment, 659
- Appliances, in occlusal therapy, 118-119
 - infection control in, 63-65
- Arch(es), collapse of, bite collapse vs, 116
 - interrelationships of, 106-107
- Arthroscopy, of temporomandibular joint, 135-141. See also *Temporomandibular joint*.
- Artificial crown and root length, in mandibular prosthesis, 721
- Artificial ear, surgical placement of, dental implant techniques for, 336-340
- Attachment prosthodontics, with removable partial overdenture, 680
- Auscultation, in temporomandibular joint disorder diagnosis, 128-129
- Bacteremia/endocarditis, dental procedures and, 80-81
- Bacteria, effect on dentinal permeability, 479
 - in smear layer, 17
 - role in dentin sensitivity, 462-464, 508
- Beta particles, definition of, 225
- Betamethasone valerate, for lichen planus, 165
- Beveling, with composite resins, 32
- Bite collapse, arch collapse vs, 116
- Bite ledge appliance, anterior, in occlusal therapy, 118
- Bleeding, oral, with chemotherapy, 246-247
- Bonding, in composite restoration, 36-37
- Bone, atrophy of, with tooth removal, 596
 - loss of, with occlusal trauma, 113
- Bruxism, and temporomandibular joint disorder, 126
 - occlusal interferences and, 107
 - removable partial overdenture for, 750, 752
 - role in occlusal trauma, 120-121
- Buccal mucosa, cancer of, 192-193, 215-217
 - radiation therapy of, 216-217
- C-fibers, and pulpal pain, 451
 - function of, 440-442
- Calcium chloride, dentinal pain stimulation by, 456

- effect on nerve activity, 496-497
- Calcium compounds, for tooth hypersensitivity, 569-570
- Calcium hydroxide, effect on dentinal permeability, 481
 - for tooth hypersensitivity, 569-570
- Calcium oxalate, effect on dentinal permeability, 483
 - for tooth hypersensitivity, 573-575
- Calculus removal, preceding chemotherapy, 247
- Callus formation, in congenital cleft palate, 354
- Canal restorations, for overdenture abutments, 648
- Cancer, oral. See *Oral cancer*.
- Candidiasis, oral, with chemotherapy, 243
 - radiation-induced, 234
- Canine protected-guided occlusion, group function vs, 117-118
- Canine teeth, maxillary, as base for overdenture, magnetized keepers in, 692-693, 695-697
- Capsaicin, neurologic and pharmacologic effects of, 452
- Carbamazepine, for cancer pain, 262
- Caries, dentinal hypersensitivity vs, 562
 - prevention of, in cavity preparation, 31
 - removal of, pain with, history of, 408
 - preceding chemotherapy, 247
- Cavity preparations, conventional vs adhesive, 31-34
- Cavity varnishes, effect on dentinal permeability, 480
 - for tooth hypersensitivity, 566
- Cell, cycle of, significance in radiation therapy, 228-229
 - death of, randomization of, 228
 - effects of radiation on, 227
- Cementum, adaptive mechanisms in, 112
 - loss of, and dentinal hypersensitivity, 561
- Centric, definition of, 114-115
- Centric mandibular positions, 105-106
- Cephalography, of surgical-orthodontic patient, 372-373
 - postsurgical, 382
- Cephalometrics, in orthodontic treatment, 97
 - prediction tracings for, in surgical-orthodontic treatment planning, 375-376
- Cervical lymphadenectomy, in oral cancer, 191
- Chelating agents, for smear layer removal, 19
- Chemical sensitivity, in clinical studies of tooth hypersensitivity, 538
- Chemotherapy, for head and neck malignancies, 73
 - oral care in, 239-250

- oral complications with, prevention of, 247-248
- periodontal treatment with, 1-11
- Chin, extraoral evaluation of, in surgical-orthodontic patient, 367-368
- Chlorhexidine, for oral infections with chemotherapy, 245
- topical, for plaque control, 6
- Chlorine dioxide, characteristics of, 61
- for disinfection, 60
- Chlorpromazine, for cancer pain, 261-262
- Chronic pain, nature of, 252
- Citric acid, for smear layer removal, 19
- Clasp assembly, for removable partial overdenture, 622-623
- Class II malocclusion, analysis of, 371
- Cleft palate, congenital, cephalometrics in, 345
- dental irregularities in, 346
- dentition in, mixed, 350-351
- permanent, 351-358
- primary, 348
- hidden fistulas in, 348-349
- maxillary expansion in, 348-350
- neonatal orthopedics in, 347-348
- orthodontic management of, 343-359
- orthodontic records of, 345
- skeletal assessment of, 346
- submucous cleft in, 348
- treatment of, considerations in, 345-346
- rationale in, 344-345
- Clonazepam, for cancer pain, 262
- Clotrimazole, for oral infections with chemotherapy, 245
- Cocaine, for cancer pain, 262
- Codeine, for cancer pain, 256
- Cold stimulus testing, in clinical studies of tooth hypersensitivity, 537-538
- of potassium nitrate dentifrices, for tooth hypersensitivity, 554
- of strontium chloride dentifrices, for tooth hypersensitivity, 552
- Cold water, dentinal pain stimulation by, 456
- Collagen, microfibrillar, for oral hemorrhage, with chemotherapy, 247
- Color stability, with composite resins, 40
- Coloration, for maxillofacial prostheses, 315-318
- Combination syndrome, 594, 596, 597
- Composite resin(s), finishing of, 39-40
- insertion of, incremental, 37-38
- problems with, 28
- posterior, excessive wear of, 30
- restorations with, posterior, controversies in, 27-44
- shade of, selection of, 34
- tooth strengthening with, 40-41
- Composite restoration, insertion of, 34-39
- Concise Enamelbond, for tooth hypersensitivity, 575
- Condylar position, in temporomandibular joint disorder diagnosis, 129
- Control, in clinical studies of tooth hypersensitivity, 533
- Controversies in dentistry, 1-183
- Convenience form, with composite resins, 32
- Coping restorations, for overdenture abutments, 648-650
- Corticosteroids, for tooth hypersensitivity, 566-567
- Cosmetic dentistry, demands of, 27
- Cranial osteopathy, for temporomandibular joint disorder, 132
- Craniomandibular dysfunction. *See under Temporomandibular joint disorder.*
- Crowding, lower anterior, post-treatment, 91-92
- Crown, electrical stimulation of, pain threshold in, 522
- Cyanoacrylate, for tooth hypersensitivity, 575
- Cytotoxicity, bacterially induced, and dentin sensitivity, 463
- Denquel Sensitive Teeth Toothpaste, for tooth hypersensitivity, clinical results with, 553-555
- Dental adhesives, for tooth hypersensitivity, 575-576
- Dental anomalies, acquired, removable partial overdenture for, 744, 750, 752
- congenital, removable partial overdenture for, 743-744
- Dental caries, prevention of, following overdenture placement, 663-664
- Dental explorer, force exerted by, 454
- in tooth hypersensitivity measurement, 517-518
- Dental hygiene, history of, 407
- independent practice of, 149-153
- Dental hygienist, education of, 149
- supervision regulations for, 151-153
- Dental hypersensitivity. *See Tooth hypersensitivity.*
- Dental impressions, infection control in, 62-63
- Dental laboratory, infection control in, 66-67
- Dental nerve fibers, activation of, theories of, 432
- Dental/periodontal treatment, in surgical-orthodontic patient, 375-376
- Dental procedures, and bacteremia/endocarditis, 80-81

- Dental provider, HIV status of, patient right to know, 49-50
- Dental research, 155-157
- Dental resins, for tooth hypersensitivity, 575-576
- Dental/surgical procedures, secondary, in surgical-orthodontic patient, 383
- Dental treatment, postradiation, 236-237
- Dentifrice(s), as delivery vehicle, for tooth hypersensitivity treatment, 545-547
- effect on dentinal permeability, 479, 484
- for tooth hypersensitivity, 416-419
- in clinical studies of tooth hypersensitivity, 533
- in tooth hypersensitivity measurement, 521
- over-the-counter, for tooth hypersensitivity, 545-560
- Dentin, bonding of, effect on dentinal permeability, 481
- bonding to, in composite restoration, 36
- burnishing of, for tooth hypersensitivity, 567
- cavities in, experimental, for nerve activity measurement, 494
- cleaning of, in composite restoration, 35
- diffusion across, 453
- drilling of, nerve fiber response to, 441
- fluid movement in, Poiseuille-Hagen equation for, 453
- resistance to, regional contributions to, 479
- theory of, 403
- hydraulic conductance of, 454, 460
- hypersensitivity of, 431, 464-466, 503-514
- animal studies of, 420-421
- approaches to, 423
- clinical characteristics of, 561-562
- clinical implications of, 509-510
- conditions mimicking, 562
- definition of, 503
- etiology and predisposing factors in, 499-500, 506-509
- hydrodynamic mechanism of, 504
- incidence of, 505-506
- intra-oral distribution of, 506
- lesion in, 504-505
- oral cavity exposure and, 506
- prevention of, 509-510
- relationship to acute and chronic pain, 436
- resolution of, 468
- treatment of, 509
- innervation of, 432, 439-440
- nerve sprouting in, animal model of, 465
- pain in, production of, 476
- permeability of, effect of temperature on, 479
- fundamental properties of, 478
- in assessing therapeutic agents, 475-490
- laboratory measurements of, 478
- reduction of, natural methods of, 477
- permeation of, mechanisms of, 453
- plugs of, apical sealing with, 21
- reparative, permeability of, 491-492
- sensitivity of, agents and therapies for, 487
- bacterial contributions to, 462-464
- clinical considerations in, 466-469
- dentin considerations in, 452-454
- desensitizing agents for, future directions in, 499-500
- mechanisms of, 442-443, 449-473
- pathogenesis of, 430
- treatment of, 486
- stimulation evaluation of, electrical, 460-462
- evaporative, 457-459
- fluid filtration, 459-460
- mechanistic, 454-462
- osmotic, 455-456
- tactile, 454-455
- thermal, 456-457
- tubules of, discovery of, 407
- role in tooth hypersensitivity, 516
- sealing of, for tooth hypersensitivity, 565
- Dentin smear, retention of, 37
- Dentinogenesis imperfecta, removable partial overdenture for, 698-699, 744, 746-747
- magnetically retained, 700
- Dentition, animal research on, application to humans, 113-114
- in congenital cleft palate, mixed, 350-351
- permanent, 351-358
- primary, 348
- in surgical-orthodontic patient, intraoral evaluation of, 370
- Dentofacial deformities, functional analysis of, 370-372
- Denture care, with chemotherapy, 248
- Denture retention, magnets for, 685
- Desensitizing agents, 499-500
- Desipramine, for cancer pain, 260-261
- Dexamethasone, for lichen planus, 165
- Diarrhea, with antibiotic administration, 84
- Dibasic calcium phosphate, for tooth hypersensitivity, 570
- Dibasic sodium citrate dentifrices, for tooth hypersensitivity, 555
- Dietary counseling, in tooth hypersensitivity management, 576-577
- Diflusal, for cancer pain, 254
- Digilog Pulp Tester, for electrical tooth stimulation, 523-524
- Dihydrocodeine, for cancer pain, 256

- Dipotassium oxalate, for tooth hypersensitivity, 574
- Direct access preparation, with composite resins, 33
- Disinfectant(s), chemical, characteristics of, 61
for dental impressions, 63-64
ideal, properties of, 61
selection of, 60
- Divalent cations, effect on tooth sensitivity, 496-498
- DNA, radiation damage to, 238
- Doxepin, for cancer pain, 260-261
- Drug elimination, in lichen planus management, 165
- Dye penetration tests, of dentinal permeability, 484
- Ear, artificial, surgical placement of, dental implant techniques for, 336-340
- Edentulous jaw, unilateral, removable partial overdenture for, 720, 722-723
- Edentulous mandible, opposition to maxillary natural teeth, 143-148
- Edgewise appliance, in cleft palate correction, 352, 355
- Electrical stimulus testing, in clinical studies of tooth hypersensitivity, 420, 538-539
of potassium nitrate dentifrices, for tooth hypersensitivity, 554
- Electro-osmosis, with electrical stimuli, 461
- Electromagnetic stimulation, for osteoradionecrosis, 76
- Electromyography, for temporomandibular joint disorder diagnosis, 127-128
- Electron, definition of, 224
- Electronic probe, in tooth hypersensitivity measurement, 518
- Electrostatic forces, control of, in composite restoration, 36
- Emoform toothpaste, for tooth hypersensitivity, 417, 555-556
- Enamel, cracking of, with restoration contraction, 38
etching of, in composite restoration, 36
loss of, removable partial overdenture for, 744, 750-751
- Endocarditis, adult antibiotic prophylaxis protocols for, features of, 82-83
animal models of, 81-82
cardiac risk of, evaluation of, 86
dental procedure-related, prevention of, controversies in, 79-90
prophylaxis for, decision analysis and, 86-87
underlying predisposition to, 80
- Endodontics, smear layer in, 13-25
- Epinephrine, apical injection of, nerve fiber response to, 442
- Epsilon aminocaproic acid, for oral hemorrhage, with chemotherapy, 246
- Erosive agents, and dentin hypersensitivity, 508
- Esthetics, in orthodontic treatment, 97
- Expansion therapy, and orthodontic failure, 96
- Extraction, in orthodontic treatment, 95-99
- Extraoral forces, in orthodontic treatment, 98
- Extrinsic coloration, for maxillofacial prostheses, 316-318
- Facial proportions (balance, symmetry), clinical evaluation of, 363, 365
extraoral evaluation of, 365-368
intraoral evaluation of, 369-372
profile evaluation of, 368-369
sagittal dimension of, profile evaluation of, 369
transverse, extraoral evaluation of, 366-367
vertical, extraoral evaluation of, 366
profile evaluation of, 368-369
- Facial prosthesis, with oral cancer, 273
- Fenaprofen, for cancer pain, 254
- Ferric oxalate, effect on dentinal permeability, 482
for tooth hypersensitivity, 573-575
- Filing material, posterior, ideal, qualities of, 29
- Fistulas, hidden, in congenital cleft palate, 348-349
- Flap procedures, in removable partial overdenture treatment, 659
- Flavor, of dentifrices, for tooth hypersensitivity treatment, 547
- Fluocinonide, for lichen planus, 165
- Fluoride compounds, for tooth hypersensitivity, 570-575
- Fluoride dentifrices, for tooth hypersensitivity, 556-557
- Fluoride iontophoresis, for tooth hypersensitivity, 571-572
- Fluoride treatment, during radiation therapy, 233-234
- Fluphenazine, for cancer pain, 261-262
- Flushing, of enamel, in composite restoration, 36
- Form stability, with composite resins, 31
- Formaldehyde dentifrices, for tooth hypersensitivity, 417, 555-556
- Formalin, for tooth hypersensitivity, 569
- Framework, for removable partial overdenture, 620

- Fungal infections, oral, with chemotherapy, 243
- Gamma rays, definition of, 225
- Gastrointestinal discomfort, with antibiotic administration, 84
- Gerber attachment, for removable partial overdenture, 676-678
- Gillings magnet keeper system, for removable partial overdenture, 676
- Gingiva, cancer of, 193-195, 217-220
radiation therapy of, 218-220
health of, in removable partial overdenture treatment, 657-658
hyperplasia of, around abutments, with removable partial overdenture, 665
recession of, and dentin hypersensitivity, 507
and tooth hypersensitivity, 516
zone of attachment of, surgeries for increasing, in removable partial overdenture treatment, 659-661
- Gingivectomy, in removable partial overdenture treatment, 658-659
- Gingivitis, role of plaque in, 1
- Glass ionomers, in cementing magnetic keepers, for removable partial overdentures, 694-695, 699-700
in tunnel preparation, 33
microleakage with, 35
- Glossectomy, for tongue cancer, 198
- GLUMA, for tooth hypersensitivity, 576
- Glutaraldehyde, characteristics of, 61
- Gram-negative infections, oral, with chemotherapy, 243
- Granulomas, periapical, treatment of, 172
- Griseofulvin, for lichen planus, 167
- Growth, management of, in orthodontic treatment, 98
- Gum, cancer of, 193-195
- Gutta percha, dental tubule sealing with, 20
- Hard palate, cancer of, 195-196
- Head, malignancies of, treatment of, 72-73
- Head and neck cancer, emotional recuperation from, 290-291
major deprivations with, 291-292
maxillofacial prosthetics for, 296-297
neck dissection in, 191
obturator use in, 298-299
pain in, management of, 251-263
patient briefing in, 295, 297-298
post-treatment of, psychosocial considerations of, 285-305
research on, 300-303
socioeconomic factors in, 299
- survey of, 288-289
rehabilitation of, categories in, 293-294
favorable, 295-296
review of literature on, 292-293
survival rates in, 289
team approach to, 293
treatment of, 72-73
forms of, 289-290
- Hearing loss, with head and neck cancer, 291
- Heart valve disorders, antibiotic prophylaxis for, with dental procedures, 79
- Hemimandibulectomy, prosthesis for, 273-274
- Hemorrhage, oral, with chemotherapy, 246-247
- Hepatitis B, infection with, in pregnant women, 57
vaccination for, rate of, 59
special considerations in, 57-58
vaccine development for, 56-57
- Heptavax-B, development of, 56-57
- Heroin, for cancer pain, 256
- Herpes zoster infections, oral, with chemotherapy, 244
- HIV-Silicone elastomers, for maxillofacial prostheses, 313-314
- HIV testing, 45-54
confidentiality in, 51
effect on patient treatment, 50-51
methods of, 45-47
patient counseling in, 47-48
patient refusal of, 49-50
patient selection for, 48-49
reliability of, 47
selective, 49
- Hydraulic conductance, definition of, 478
- Hydrocodone, for cancer pain, 256
- Hydrodynamic theory, of dentin sensitivity, 450, 464
of dentinal pain, 476
of tooth hypersensitivity, 404
confirmation of, 485
test results supporting, 459
- Hydrogen peroxide, for smear layer removal, 18
- Hydromorphone, for cancer pain, 256
- Hyperbaric oxygen, for osteoradionecrosis treatment, 74
- Hyperfunction, magnetically retained removable partial overdenture for, 702
- Hypersensitivity measurement, in clinical studies of tooth hypersensitivity, 535-540
- Hypochlorite, characteristics of, 61
- Hyrax expansion appliance, for cleft palate, 350
- Ibuprofen, for cancer pain, 254

- Imipramine, for cancer pain, 260-261
- Implants, for edentulous mandible, 147
- Impression trays, acrylic, disinfection of, 65
- Incisal guidance, in occlusal stability maintenance, 116-117
- Incisors, lower, crowding of, third molars and, 92-95
maxillary, as base for overdenture, magnetized keepers in, 694
- Independent practice, definition of, 150-151
- Infection control, controversies in, 55-69
- Infective endocarditis, dental procedure-related, prevention of, controversies in, 79-90
- Inflammation, in dentinal sensitivity, 463, 465, 499
stimulation of, with periapical instrumentation, 175
- Injections, in temporomandibular joint disorder diagnosis, 129
- Interarch contact relationships, 106-107
- Intradental nerves, function of, 440-442
- Intradiation protocol, for osteoradionecrosis prevention, 74
- Intrinsic coloration, for maxillofacial prostheses, 316
- Investigator, in clinical studies of tooth hypersensitivity, 531-532
- Iodophors, characteristics of, 61
- Ionomers, glass, in cementing magnetic keepers, for removable partial overdentures, 694-695, 699-700
in tunnel preparation, 33
microleakage with, 35
- Iontophoretic currents, effect on dentinal permeability, 430
- Iridium implant, for buccal mucosa cancer, 217
for floor of mouth cancer, 214
for lip cancer, 207-209
for tongue cancer, 211
- Irradiated patients, oral and maxillofacial procedures in, management of, 71-77
- Isobutyl cyanoacrylate, for tooth hypersensitivity, 575
- Isotretinoin, for lichen planus, 167
- Jaw defects, acquired, prosthesis serviceability for, 265-284
- Jaw relationships, anteroposterior, 145
- Joint sounds, in temporomandibular joint disorder diagnosis, 128-129
- Kenalog, for lichen planus, 165
- Kennedy classification, of removable partial overdentures, 627-629
- Kinesiology, applied, for temporomandibular joint disorder, 131
- Laryngectomy, post-treatment of, research on, 301-302
- Larynx, carcinoma of, radiation treatment of, 232
- Laser irradiation, for smear layer removal, 20
- Lichen planus, oral, controversies in, 163-168
description of, 162
histologic features of, 166
malignant potential of, 168
- Lip, cancer of, 192, 205-209
radiation therapy for, 206-209
- Magnaskirt, for removable partial overdenture, 670
- Magnesium chloride, effect on nerve activity, 496-497
- Magnetic attachments, for removable partial overdentures, 683-709
- Magnetic keeper, for removable partial overdenture, 676, 684, 690
cementing of, 695-697, 714-716
retention of, 685
- Malocclusion, 103-109
and temporomandibular joint disorder, 126
definition of, 103
treatment of, indications for, 107-108
need for, 104
- Mandible, body of, segmental resection of, 271-272
compromised canines of, removable partial overdenture with, 614
defects of, acquired, stent prosthesis for, 270-271
discontinuity of, prosthesis for, 273-274
edentulous, cancer of, 194
implants for, 147
opposition to maxillary natural teeth, 143-148
removable partial overdenture for, 720, 722-729
fixed prosthesis of, fixture-supported, 736-737
growth of, and lower incisor crowding, 93
molars of, removable partial overdenture with, 612
positions of, centric, 105-106
prosthesis for, patient education in, 145-146
reconstruction of, following oral cancer surgery, 329-335

- Mandible** (*Continued*)
 resorption of, 144
 roots of, overdenture support with, 594
 retained, in irradiated patient, 761
 single teeth in, removable partial over-
 denture with, 608-612
 tooth impactions of, 231
 tooth-supported overdenture for, as in-
 terim therapy, 732-733, 738
- Mastication**, adaptive mechanisms in, 111-
 112
- Matrix placement**, in composite restoration,
 35
- Maxilla**, advancement of, in cleft palate cor-
 rection, 355
 anterior roots in, removable partial over-
 denture with, 612-614
 arch of, constricted, in congenital cleft
 palate, 354
 compromised canines of, removable par-
 tial overdenture with, 614
 defects of, acquired, 266-270
 obturator prosthesis for, definitive
 postsurgical, 268-270
 immediate surgical, 267-269
 provisional postsurgical, 267, 269
 deficiency of, in congenital cleft palate, 353
 transverse, surgical-orthodontic correc-
 tion of, 385-395
 expansion of, in congenital cleft palate,
 348, 350
 natural teeth of, edentulous mandible op-
 position to, 143-148
 tooth-supported overdenture for, 729-732
- Maxillofacial prostheses**, accelerated test
 conditions for, 322
 adhesives for, 318-319
 classification of, 321
 durability requirements for, 322
 for acquired jaw defects, serviceability of,
 265-284
 for head and neck cancer, 296-297
 materials for, ideal qualities of, 309
 osseointegration in, 327-341
 PDM Siloxane elastomer, intrinsic pig-
 mentation of, 317
 tensile and tear resistance properties of,
 318
 performance standards for, 321-323
 reconstruction with, state-of-the-art mate-
 rials for, 307-325
 safety requirements for, 321
 specifications of, 319-320
 state-of-the-art, trends in, 309-310
- Maxillofacial prosthodontics**, 185-401
- Maxillofacial reconstruction**, hyperbaric oxy-
 gen therapy for, 74-75
- Maxillomandibular basal discrepancies**, and
 orthodontic failure, 96
- Meclofenamate**, for cancer pain, 254
- Mefenamic acid**, for cancer pain, 254
- Melanoma**, mucosal, 199-200
- Mercury toxicity**, fear of, 27
- Metal probe**, temperature-controlled, in
 tooth hypersensitivity measurement,
 520
- Methotrimeprazine**, for cancer pain, 261-
 262
- Metronidazole**, for plaque control, 5
- Miconazole**, for oral infections with chemo-
 therapy, 245
- Midface deficiency**, in congenital cleft pal-
 ate, 353-354
- Midpalatal suture**, opening of, 385
 ossification of, 388
- Mineralization status**, effect on tooth sensi-
 tivity, 516-517
- Minocycline**, for plaque control, 5
- Moisture**, effect on composite resins, 29
- Monohydrogen-monopotassium oxalate**, for
 tooth hypersensitivity, 574
- Morphine**, central nervous system effects of,
 258
 for cancer pain, 256
- Mouth**. See also under *Oral*.
 extraoral evaluation of, in surgical-ortho-
 donic patient, 367-368
 floor of, cancer of, 196-197, 212-215
 radiation therapy for, 213-215
- Mouth guards**, fabrication of, preceding che-
 motherapy, 248
 in sports, 131
- Mucormycosis**, oral, with chemotherapy,
 243
- Muscle palpation**, in temporomandibular
 joint disorder diagnosis, 129
- NaF/kaolin/glycerin paste**, for tooth hyper-
 sensitivity, 568
- Naproxen**, for cancer pain, 254
- Narcotic analgesics**, addiction to, 259
 dosage and routes of administration of,
 255-256
 for head and neck cancer pain, 255
 physical dependence on, 258
 psychologic dependence on, 259
 respiratory depressant effects of, 259
 side effects of, 257-258
 tolerance to, 258
 withdrawal from, symptoms of, 260
- Natural root structure**, removable partial over-
 dentures with, 711-728
- Neck**, cancer of. See *Head and neck cancer*.
- Nerve sensitivity**, role in dentin sensitivity,
 465
- Neurogenic inflammation**, and pulp pain,
 451
- Neutron**, definition of, 224

- Nightguard, in occlusal therapy, 118-119
- Non-steroidal anti-inflammatory drugs, for head and neck cancer pain, 253-255
- Normal living, return to, following head and neck cancer, 287-288
- Nose, asymmetry of, extraoral evaluation of, 367
- Nystatin, oral, for oral infections with chemotherapy, 245
prophylactic, with chemotherapy, 248
- O-so attachments, for removable partial overdenture, 672-674
- Obturator, use of, in head and neck cancer, 298-299
- Obturator-retainer, in cleft palate correction, 352
- Occlusal access, with composite resins, 33
- Occlusal/functional treatment, in surgical-orthodontic patient, 376
- Occlusal relationship, in surgical-orthodontic patient, intraoral evaluation of, 370
- Occlusal scheme, with mandibular prosthesis, 146-147
- Occlusal therapy, appliances in, 118-119
- Occlusal trauma, role in periodontal disease, 112-113
role of parafunctional habits in, 120-121
- Occlusion. See also under *Occlusal*.
adaptive mechanisms in, 111-112
adjustment of, prophylactic, interceptive vs, 119
canine protected-guided, group function vs, 117-118
controversies in, 111-123
finishing of, with composite resin, 39
functional, 104-105
interferences with, 105
and bruxism, 107
management of, in periodontal therapy, 115-116
stability of, maintenance of, incisal guidance in, 116-117
- Odontoblast process, role in fluid filtration, 460
- Odontogenic infections, with chemotherapy, 241-242
- Oligodontia, removable partial overdenture for, 743-745
- Opioids, respiratory depressant effects of, 259
- Opium alkaloids, for cancer pain, 256
- Oral cancer, bone involvement in, 189
distant metastases in, staging of, 187
lichen planus and, 168
nodal involvement in, staging of, 187
pathology of, 188-189
primary site considerations in, 192-200
primary tumor in, staging of, 186-187
radiation therapy for, 205-222
staging of, 186-187
surgical management of, 185-203
neck dissection in, 191
principles of, 189-191
surgical reconstruction in, 200
- Oral care, after chemotherapy, 248-249
during chemotherapy, 248
preceding chemotherapy, 247-248
- Oral cavity, anatomy of, 185-186
chemotherapy of, complications in, prevention of, 247-248
edema with, 240
erythema with, 240
fungal infections with, 243
hemorrhage with, 246-247
infections with, 241-246
diagnosis of, 245
idiopathic, 244
management of, 245-246
soft tissue, 242-243
evaluation of, preceding chemotherapy, 247-248
intraoral evaluation of, functional, 370-372
static, 369-370
of chemotherapy, ulceration with, 240
surgical procedures on, criteria for, 231
- Oral medicine, controversies in, 159-169
- Oral splints, for temporomandibular joint disorder, 130-131
- Orangewood burnishing, effect on dentinal permeability, 481
- Orthodontic treatment, and temporomandibular joint disorder, 126-127
controversies in, 91-102
extraction vs nonextraction, 91-102
in surgical-orthodontic treatment, postsurgical, 380-383
presurgical, 376-380
surgical, diagnosis and planning for, 361-384
instability of, post-treatment, 91
with nonextraction, 96
- Orthognathic surgery, diagnosis and treatment planning for, 361-384
- Orthopedics, neonatal, for congenital cleft palate, 347-348
- Osseointegrated fixtures, removable partial overdentures with, 711-728
- Osseointegration, definition of, 328
in maxillofacial prosthetics, 327-341
overdentures and, 729-739
- Osteoradionecrosis, and reduced healing potential, 760
electromagnetic stimulation for, 76
hyperbaric oxygen/surgery protocol for, 75
incidence of, 71-72
pathophysiology of, 73

Osteoradionecrosis (*Continued*)

- prevention of, 73-74
- treatment of, 74-76
- with oral cancer treatment, prosthesis for, 273, 275-276

Overbite, and lower incisor crowding, 94

Overdenture(s), 593-606

- abutments for, 631-644
 - abraded natural teeth as, 639, 640
 - canal restorations for, 648
 - caries in, 634
 - copings for, 634-635, 648-650
 - design of, 632-636
 - diet with, 643
 - dome height of, 633
 - endodontically treated teeth as, 636-639
 - exposed cementum in, 634
 - fluoride use with, 642-643
 - forces on roots in, 634
 - functions of, 631
 - hemisected posteriors as, 639, 640
 - hygiene and maintenance of, 641-642
 - large restorations in, 634
 - periodontal considerations in, 634, 655-658
 - periodontal state of tooth for, 646
 - preparation for, 636-641
 - concerns with, 639-641
 - procedure for new concepts, 639
 - temporization in, 650-651
 - treatment following, 650-651
 - previous endodontic treatment of, 646
 - pulp in, 646
 - recall appointments with, 643
 - research on, 635-636
 - restoration of, endodontic considerations in, 645-652
 - timing of, 647-648
 - retention with, 635
 - root surface contour in, 634
 - stability with, 635
 - surface shape of, 632-633
 - treatment sequence for, 647
- and osseointegration, 729-739
- bar, for partially edentulous patient, 721, 725-726
- customized brush for, 662
- in related disciplines, 679-680
- magnetic attachments for, 683-709
 - advantages of, 685-686
 - case studies of, 686-690
 - clinical procedures with, 690-700
 - commercially available systems of, 684-685
 - for denture retention, 683-684
 - in caries and periodontal disease, 688-690
 - limitation of force transmitted to roots, 685-686
 - obturator type, 689

- self adjustment by orthodontic root movement, 686-688

- mandibular, with magnetizable keepers, 691

- maxillary complete, obturator prosthesis, 762

removable partial, 589-780, 607-625

- abutment care and hygiene in, 602-603
- advantages and disadvantages of, 599
- anterior abutments for, 616-620
- as transitional prosthesis, 603
- basal support for, 590-591
- bone conservation in, 590
- case salvage with, 615
- case studies of, 607-608, 621-625
- casting of, 756
- classification of, 627-629
- common situations for, 608-614
- contraindications to, 603-604, 614-615
- cost of, 603
- dental responsibility with, 604
- design of, 615
- efficacy of treatment with, 601
- esthetic considerations in, 589-590, 601-602
- for irradiated patient, 759-763
 - endodontic and restorative considerations in, 762-763
 - rationale for, 761
- for special patients, 741-758
 - historical perspective on, 742
 - indications and contraindications for, 742-743
 - patient histories in, 743-753
 - rationale and indications for, 741-742
- for unilaterally edentulous cases, 720, 722
- framework for, 755
- implant-retained, 715-720
- implant-supported, 738
- intraoral placement of, 756
- magnetic attachments for, 711-715
 - advantages of, 713
 - corrosion of, 712
 - mechanical vs, 669-670
- magnetically retained, 723-724
 - case salvage using, 703-707
 - special indications for, 700-703
- mandibular, 594-595
- mechanical (precision) attachments for, 669-681
 - attachment selector and gauge for, 672
 - clinical and laboratory assembly of, 673-674
 - combined system, 676-677
 - corrosion of, 670
 - extraradicular, 672-674
 - for periodontally compromised patient, 676-677

- intraradicular, 673-675
- lateral movement of, 670
- loss of retention of, 670
- O-so, 672-674
- selection of, 670-673
- single system, 676
- stud-bar complex for, 671, 677-679
 - diasadvantages of, 679
- transitional complete denture, 677
- Zest, 673-675
- occlusal concepts in, 602
- path of insertion for, 755
- patient acceptance of, 602
- patient responsibilities with, 604
- periodontal considerations of, 653-668
- philosophies and principles of, 589-592
- phonetics with, 601-602
- prosthodontic considerations in, 603-604
- psychological advantages of, 598
- retention with, 591, 600, 601, 669
- reversibility of, 603
- salvage of, 674-676
- stability with, 591-592, 600
- support for, 598, 599
- techniques with, methodology for, 754-755
 - simplified, 601
- therapy with, 600-603
- tissue response to, 602
- tooth-supported, 729-732
 - as interim therapy, 732-733, 738
 - opposing osseointegration, 738-739
- wearing of, sequelae to, 664-665
- with natural root structure and osseointegrated fixtures, 711-728
- therapy with, biomechanical rationale for, 593-599
- transitional, 721, 727, 728
- Overlay denture, in cleft palate correction, 355-356
- Oxycodone, for cancer pain, 256
- Oxygen, effect on radiation damage, 229
- Pain, chronic, nature of, 252
 - management of, in head and neck cancer, 251-263
 - pathologic vs physiologic, 435
- Palatal expansion, rapid, appliance for, 386-388
 - surgical procedure for, 386-388
 - results of, 388-391
 - transverse osteotomy for, 387
 - treatment methods for, 391-392
- Palatal prostheses, lift, 281-283
- removable, in cleft palate correction, 356-357
- stimulating, 280-282
- treatment, 279-280
 - composite, 283
- Palate, hard, cancer of, 195-196
- Parafunctional habits, role in occlusal trauma, 120-121
- Patient education, in tooth hypersensitivity management, 576-577
- Patient interview, of surgical-orthodontic patient, 363
- Patient selection, for HIV testing, 48-49
- PDM Siloxane elastomer, exposure test conditions for, 323
 - for maxillofacial prostheses, intrinsic pigmentation of, 317
 - tensile and tear resistance properties of, 318
 - modulus of elasticity of, 320
- Penicillin, for oral infections with chemotherapy, 245
- Periapical area cases, apical violation in, 171-178
- Periodontal diagnosis, in removable partial overdenture treatment, 656
- Periodontal disease, chemotherapy for, 1-11
 - in surgical-orthodontic patient, intraoral evaluation of, 370
 - occlusal trauma and, 112-113
 - therapy for, occlusal management in, 115-116
 - with removable partial overdenture, 664
 - with tooth mobility, magnetically retained removable partial overdenture for, 700-701
- Periodontal health, maintenance of, in removable partial overdenture treatment, 661-663
- Periodontal infections, with chemotherapy, 241-242
- Periodontal ligament, adaptive mechanisms in, 111-112
 - proprioceptive receptors of, role of, 654-655
- Periodontal treatment, and tooth hypersensitivity, 491
 - strontium chloride dentifrice for, 553
- Periodontitis, progression of, factors in, 2
- Permeability coefficient, definition of, 478
- Phenols, characteristics of, 61
- Phenothiazines, for cancer pain, 261-262
- Phenytoin, for cancer pain, 262
- Photon, definition of, 226
- Piroxicam, for cancer pain, 254
- Placebo, in clinical studies of tooth hypersensitivity, 533
- Plaque, control of, 3-7
 - in tooth hypersensitivity management, 577
 - role in dentin sensitivity, 463, 508
 - varieties of, 2

- Plaque control, following overdenture placement, 661-663
- Plasma proteins, effect on dentinal permeability, 479
- Pocket formation, with occlusal trauma, 113
- Pocket reduction, surgeries for, in removable partial overdenture treatment, 658-659
- Poiseuille-Hagen equation, of dentinal fluid flow, 453
- Polydimethylsiloxane, for maxillofacial prosthetic reconstruction, 308
- Polymerization shrinkage, with composite resins, 29, 38
- Polymethacrylates, for maxillofacial prosthetic reconstruction, 308
- Polyurethanes, chemical configuration of, 320
 exposure test conditions for, 323
 for maxillofacial prostheses, 308, 314-315
- Post cementation, 22-23
- Posterior composite resin restorations, controversies in, 27-44
- Posterior teeth, loss of support of, magnetically retained removable partial overdenture for, 702
- Postradiation protocol, for osteoradionecrosis prevention, 74
- Posture, and temporomandibular joint disorder, 126-127
- Potassium ferrocyanide, for tooth hypersensitivity, 568
- Potassium nitrate, effect on nerve activity, 495-497
 for tooth hypersensitivity, 421
 clinical results with, 553-555
- Potassium oxalate, for tooth hypersensitivity, 573-575
- Potassium salts, for dentin sensitivity, 486
- Pre-pain sensation, in tooth hypersensitivity measurement, 522
- Precipitants, insoluble, formation of, for tooth hypersensitivity, 567-569
- Precleaning, in surface disinfection, 60
- Pregnancy, hepatitis B infection in, 57
- Premaxilla, stabilization of, in cleft palate correction, 355
- Premolars, distal-most, removable partial overdenture with, 612-614
 extraction of, in orthodontic treatment, 97
- Preradiation protocol, for osteoradionecrosis prevention, 73-74
- Pressure probes, in clinical studies of tooth hypersensitivity, 536
- Primary dentition, in congenital cleft palate, 348
- Problem list, for surgical-orthodontic patient, 373-374
- Prochlorperazine, for cancer pain, 261-262
- Product assignment, in clinical studies of tooth hypersensitivity, 541
- Promise with Fluoride toothpaste, for tooth hypersensitivity, clinical results with, 553-555
- Prophylaxis cup, for overdenture abutment cleaning, 662-663
- Proprioception, maintenance of, with overdentures, 598
- Prostheses, infection control in, 63-65
- Prosthodontics, infection control in, 62-67
- Protect toothpaste, for tooth hypersensitivity, 555, 574
- Proton, definition of, 224
- Publication, in academic environment, pressures for, 155-156
- Pulp, condition of, effect on tooth sensitivity, 516
 in dentinal hypersensitivity, 563
 innervation of, 432, 439-440, 450-452
 nerve reactions in, 451-452
 nerve type in, 450-451
- Pulp testers, in tooth hypersensitivity measurement, 522-523
- Pulpal necrosis, periapical instrumentation for, 173
- Quality of life, definition of, 286-287
 measurement of, 300
- Radiation, dose-response relationship in, 228
 electromagnetic, 225-227
 for head and neck malignancies, 72-73
 histologic significance of, 229
 ionizing, characteristics of, 224
 isodose distribution of, 226
 particulate, characteristics of, 224-225
 physics of, 223-224
 protocol during, for osteoradionecrosis prevention, 74
- Radiation biology, 227-228
- Radiation decay, prevention of, 760
- Radiation-oncology, oral tissue changes in, management of, 223-237
 patient home care with, 232-233
- Radiation prostheses, 234-236
- Radiation treatment, biologic effects of, 230, 759-761
 dental treatment planning in, 230-232
 in oral cancer, 191
 philosophy of, 229-230
- Radicular cysts, treatment of, 171
- Radiography, panoramic, in surgical-orthodontic patient, 372-373
 postsurgical, 382

- Radiopacity, inadequate, with composite resins, 31
- Radiotherapy, effects of, 759-761
- Recombivax-HB, development of, 57
- REDTA, for smear layer removal, 14
- Reflection coefficient, definition of, 478
- Reliability, in clinical studies of tooth hypersensitivity, 532-533
- Removable partial overdentures. *See Overdenture(s)*.
- Resilient liners, with mandibular prosthesis, 147
- Resistance appliance, anterior, in occlusal therapy, 118
- Resistance form, with composite resins, 32
- Respiratory mechanism, primary, role in temporomandibular joint disorder, 132
- Restoration, damaged, dentinal hypersensitivity vs, 562
- Retention, in cleft palate correction, 358
- Retention, in orthodontics, 91-92
- Retention form, with composite resins, 32-33
- Retinoids, for lichen planus, 167
- Retromolar trigone, cancer of, radiation therapy of, 218-220
- RIV-Silicone elastomers, for maxillofacial prostheses, 312-313
- Root, electrical stimulation of, pain threshold in, 522
- Root canal, instrumentation within, 172-174
- sealers for, choice of, 176
- Root planing, and tooth hypersensitivity, 516
- dentin sensitivity following, 466
- Rubber dam, in composite placement, 34
- Saliva, and dentin hypersensitivity, 508
- effect on dentinal permeability, 479
- proteins in, effect on dentin, 491
- reduction of, with radiotherapy, 759
- Salivary gland, cancer of, 199
- Salivation disorders, with chemotherapy, 240, 249
- with radiation therapy, 232, 759-760
- Scapula, microvascular grafting of, for mandibular reconstruction, 329-335
- Schubiger attachment, for removable partial overdenture, 679
- Scotchbond Light-cured Dental Adhesive, for tooth hypersensitivity, 576
- Scratchometer, in tooth hypersensitivity measurement, 516-518
- Sealers, 21-22
- Sensitivity, postrestorative, polymerization shrinkage and, 39
- Sensodyne-F toothpaste, for tooth hypersensitivity, clinical results with, 553-555
- Sensodyne Sealant, for tooth hypersensitivity, 575
- Sensodyne toothpaste, for tooth hypersensitivity, 416-417
- clinical results with, 550-553
- Sensory nerve activity, effect of potassium on, 498
- measurement of, method for, 493-495
- Serologic testing, for HIV, 45
- postvaccination, 58
- Silicone elastomers, for maxillofacial prostheses, 311-314
- Silux Enamel Bond, for tooth hypersensitivity, 576
- Silver nitrate, for tooth hypersensitivity, 568
- Skeleton, incomplete growth of, and lower incisor crowding, 93
- intervention in, in orthodontic treatment, 98
- Smear layer, acid resistance of, 481
- and sealer use, 21
- bonding to, 18
- composition of, 14, 16-17, 491
- definition of, 14-16
- in endodontics, 13-25
- removal of, and cementation bond, 22-23
- antimicrobial implications of, 17-20
- importance of, 17
- in composite restoration, 35
- role in dentin sensitivity, 464
- role in dentinal pain, 459
- role in restoration sealing, 15
- Smell, loss of, with head and neck cancer, 291
- Social support, definition of, 300
- Social withdrawal, following head and neck cancer, 286
- Sodium chloride, hypertonic, for nerve activity measurement, 494-495
- Sodium citrate-Pluronic, for tooth hypersensitivity, 421
- Sodium hypochlorite, for smear layer removal, 14, 18-19
- Sodium lauryl sulfate, for smear layer removal, 18
- Sodium silicofluoride, for tooth hypersensitivity, 571
- Sodium valproate, for cancer pain, 262
- Solid state magnet, for removable partial overdenture, 713
- Solvents, for smear layer removal, 18
- Special patients, removable partial overdentures for, 741-758
- Splinting, in occlusal adjustment, need for, 119-120
- Sports dentistry, 131
- Stainless steel bar, half-round, for removable partial overdenture, 725-726
- Stannous fluoride, for tooth hypersensitivity, 568, 571

- Stark instrument, dial setting vs voltage in, 525
for electrical tooth stimulation, 523-524
- Statistical analysis, in clinical studies of tooth hypersensitivity, 542-543
- Stereognosis, studies of, 654
- Steroids, systemic, in lichen planus management, 167
- Stimulus application, in clinical studies of tooth hypersensitivity, 540
- Stomatitis, with chemotherapy, 239-241
therapy for, 240-241
- Stone cast, disinfectant-containing, for dental impressions, 63
- Stress, and temporomandibular joint disorder, 126
- Stress bearing areas, posterior, beveling of, 33
- Stress management, for temporomandibular joint disorder, 130
- Striae, with lichen planus, 163-164
- Strontium chloride, effect on dentinal permeability, 482
effect on nerve activity, 496-497
for tooth hypersensitivity, 417, 422, 433, 572-573
clinical results with, 550-553
- Structural polymers, ventured, for maxillofacial prostheses, 315
- Study length/examination periods, in clinical studies of tooth hypersensitivity, 541-542
- Subject assessment, in clinical studies of tooth hypersensitivity, 539
- Subject assignment, in clinical studies of tooth hypersensitivity, 540-541
- Subject selection, in clinical studies of tooth hypersensitivity, 534-535
- Submucous cleft, in congenital cleft palate, 348
- Sucrose solution, in tooth hypersensitivity measurement, 521
- Sulindac, for cancer pain, 254
- Supervised practice, definition of, 150-151
- Supervision regulations, for dental hygienists, 151-153
- Surface disinfection, for infection control, 59-62
- Surgery, for head and neck malignancies, 72
in surgical-orthodontic treatment, 380
- Surgical-orthodontic patient, diagnosis and treatment planning for, 361-384
diagnostic considerations in, 363-373
clinical examination, 363-372
patient interview, 363
postsurgical evaluation of, 378-382
problem list for, 373-374
radiographic examination of, 372-373
treatment plans for, 374-383
- Tactile stimulus testing, in clinical studies of tooth hypersensitivity, 535-537
of strontium chloride dentifrices, for tooth hypersensitivity, 551
- Taste, loss of, with head and neck cancer, 291
of dentifrices, for tooth hypersensitivity treatment, 547
- Temperature, effect on dentinal permeability, 479
in tooth hypersensitivity measurement, 519-521
- Temporomandibular joint, arthroscopic surgery of, complications of, 139
contraindications to, 136
controversial procedures in, 138-139
history of, 135
indications for, 135-136
instrumentation in, 136-138
results of, 140
success with, 135-141
technique of, 136-138
disorder of. See *Temporomandibular joint disorder(s)*.
- Temporomandibular joint disorder(s), controversies in, 125-133
diagnosis of, 127-130
etiology of, 126-127
symptoms of, 371-372
terminology in, 125-126
treatment of, 130-132
- Test materials, in clinical studies of tooth hypersensitivity, 533
- Test product assignment, in clinical studies of tooth hypersensitivity, 540-541
- Tetracycline, for plaque control, 5
- Therapeutic agents, assessment of, dentinal permeability in, 475-490
- Therapy localization, in temporomandibular joint disorder, 131
- Thermal stimulus testing, in clinical studies of tooth hypersensitivity, 537-538
of potassium nitrate dentifrices, for tooth hypersensitivity, 554
of strontium chloride dentifrices, for tooth hypersensitivity, 551
- Thermo-electric probe, in tooth hypersensitivity measurement, 521
- Thermodont toothpaste, for tooth hypersensitivity, 417
- Third molars, and lower incisor crowding, 92-95
- Thrombin powder, for oral hemorrhage, with chemotherapy, 246
- TMJ. See under *Temporomandibular joint*.
- Tolmetin, for cancer pain, 254
- Tongue, cancer of, 197-199, 209-212
radiation therapy for, 209-212
- Tooth(teeth), acute hyperfunction of, dentinal hypersensitivity vs, 563

- cracked, dentinal hypersensitivity vs, 562
 desensitizing agents for, actions of, 492, 497-499
 electrical stimulation of, devices for, 523
 heating of, nerve fiber response to, 441
 hypersensitivity of. *See* *Tooth hypersensitivity*.
 mobility of, in removable partial overdenture treatment, 656-657
 neurophysiology of, 439-448
 nociceptors of, sensitization of, 434
 removal of, bone atrophy with, 596
 size of, and lower incisor crowding, 93
 strengthening of, with composite resins, 40-41
 structure of, conservation of, 31
Tooth hypersensitivity, 403-587, 491-501
 animal models of, 419-423
 approaches to, early twentieth century, 412-416
 historical, 406-412
 late twentieth century, 416-423
 characteristics of, 422
 clinical, 561-562
 clinical studies of, design of, 531-544
 hypersensitivity measurement in, 535-540
 chemical, 538
 electrical, 538-539
 tactile, 535-537
 thermal, 537-538
 investigator in, 531-532
 product assignment in, 541
 statistical analysis in, 542-543
 stimulus application in, 540
 study length/examination periods in, 541-542
 subject assessment in, 539
 subject assignment in, 540-541
 subject selection in, 534-535
 test product assignment in, 540-541
 visual analogue scale for, 539-540
 definition of, historical, 410
 desensitizing procedures for, selection of, 565
 differential diagnosis of, 562-563
 ideal therapy for, requirements for, 414
 in-office management of, current approaches to, 561-581
 dietary counseling in, 576-577
 patient education in, 576-577
 plaque control in, 577
 rationale of, 565-566
 toothbrushing techniques in, 577
 treatments for, 566-569
 in spectrum of pain, 429-437
 measurement of, factors affecting, 516-517
 methods of, 515-529
 electrical, 522-526
 osmotic, 521-522
 tactile, 517-519
 thermal, 519-521
 use in studies, 526-527
 scr'es for, 434-435
 pain in, causes of, 404
 patient management in, 564-565
 pharmacologic agents for, historical, 411
 placebo effect on, 564
 publications on, 405
 pulpal considerations in, 432-434
 spontaneous remission of, 563-564
 subjective considerations in, 434-436
 topical agents for, historical review of, 406
 treatment of, 433. *See also* under *in-office management of*.
 agents for, 492
 future study of, design recommendations for, 557-558
 historic review of, 403-427
 over-the-counter dentifrices for, 545-560
 clinical results of, 550-557
 efficacy assessment of, 548-550
 rationale for, 547-548
Toothbrushing, and dentin hypersensitivity, 507
 and tooth hypersensitivity, 516
 techniques of, in tooth hypersensitivity management, 577
Toothette, for oral hygiene, 234-235
Torus, mandibular, postirradiation, 234
Transparent wedge, for polymerization curing, 38
Transverse osteotomy, for palatal expansion, 387
Trauma, and acquired jaw defect, 276-279
 occlusal, role in periodontal disease, 112-113
Triamcinolone acetate, for lichen planus, 165
Tricyclic antidepressants, for cancer pain, 260-261
Tubule packing, with tooth instrumentation, 16
Tunnel preparation, with composite resins, 33

Ultrasound, for smear layer removal, 19
 Unit doses, for infection control, 66
 Unsupervised practice, definition of, 150-151

 Vaccination, for hepatitis B, 56-59
 Vaccines, acceptance of, among health professionals, 58-59

- Vasoactive peptides, and pulpal pain, 451
- Vasodilators, effect on pulpal blood flow, 452
- Ventured structural polymers, for maxillofacial prostheses, 315
- Viral culture, for HIV testing, 45
- Viral infections, oral, with chemotherapy, 244
- Vision, loss of, with head and neck cancer, 291
- Visual analogue scale, in clinical studies of tooth hypersensitivity, 539-540
- W-lingual appliance, for cleft palate, 349
- Wear resistance, with composite resins, 31
- Wedge insertion, in composite restoration, 34
- Western blot test, for HIV testing, 46
- Whiplash, and temporomandibular joint disorder, 127
- White striae, with lichen planus, 164
- Wickham's striae, with lichen planus, 163
- Withdrawal, social, following head and neck cancer, 286
- X-rays, definition of, 225
- Xerostomia, after chemotherapy, 240
- management of, 249
- with radiation treatment, 232
- with radiotherapy, 759-760
- Yeaple probe, in clinical studies of tooth hypersensitivity, 536
- Zest attachments, for removable partial overdenture, 673-675
- Zinc chloride, for tooth hypersensitivity, 568
- Zygomaxillary buttress, palatal expansion resistance from, 393

